State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-220

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1999 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

<u>Fuel Type</u>: Diesel

Engine Family	Engine <u>Liters</u>	Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
XNVXH0530ANB	8.6	(530)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
H <u>ydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
Hyd <u>rocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
0.3	1.3	3.9	0.10

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 30th day of September 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

8.Fuel Rafe: 9.Emission Control (fbs/hr)@peak torque Device Per SAE J1930 7.Fuel Rate: nxn/strokæ@peak torque **INT 530E** Process Code: New Submission 6.Torque @ RPM (SEA Gross) Manufacturer Family Name: 5.Fuel Rate: (tos/hr) @ peak HP (for diesels only) 4.Fuel Rate: mm/stroke @ peak HP (for diesel only) Manufacturer: Navistar E.O. # A-4-220 XNVXH0530ANB EPA Engine Family:

BY, ECM, TC, CAC BY ECM,TC,CAC DI, ECM,TC,CAC 'BI, ECM,TC,CAC DI, ECM,TC,CAC BY, ECM,TC,CAC 80.0 80.0 86.7 70.5 78.0 86.7 199.0 179.0 199.0 183.7 183.7 161.9 1050 @ 1300 1050 @ 1300 950 @ 1300 950 @ 1300 860 @ 1300 950 @ 1300 124.8 124.8 115.0 112.2 112.2 1122 186.3 186.3 171.6 167.5 167.5 167.5 330 @ 2000 330 @ 2000 320 @ 2000 3.BHP@RPM (SAE Gross) 300 @ 2000 300 @ 2000 300 @ 2000 2.Engine Model BH330 BH300 BL300 B320 B330 B300 1.Engine Code BH330 BH300 B330 B320 BL300 B300